

**A Checklist of the Vascular Plants at the University of California Natural Reserve System's
Burns Pinyon Ridge Reserve
(Updated by J. Andre, December 2010)**

* = non-native plant

! = sensitive species

IRVC = The University of California, Irvine Herbarium

UCR = The University of California, Riverside Herbarium

FERNS AND FERN-ALLIES (SPORE-BEARERS)

LYCOPHYTA - LYCOPODS

Selaginellaceae – Spike-Moss Family

Selaginella bigelovii L. Underw.

IRVC

PTERIDOPHYTA - FERNS

Pteridaceae [Polypodiaceae] – Brake Family

Cheilanthes covillei Maxon

IRVC

Cheilanthes parryi (D. Eaton) Domin.

IRVC

Cheilanthes viscida Davenp.

IRVC

Pellaea mucronata (D. Eaton) D. Eaton var. *mucronata*

IRVC

CONIFEROPHYTA [GYMNOSPERMS] CONIFERS

Cupressaceae – Cypress Family

Juniperus californica Carrière

IRVC

Pinaceae – Pine Family

Pinus monophylla Torr. & Frémont

[*P. m.* var. *californica* (Bailey) Silba]

IRVC

GNETOPHYTA - GNETALES

Ephedraceae – Ephedra Family

Ephedra californica S. Watson

IRVC

ANTHOPHYTA – FLOWERING PLANTS

DICOTOTYLEDONES (DICOTS)

Amaranthaceae – Amaranth Family

**Amaranthus albus* L.

UCR

Amaranthus fimbriatus (Torr.) Benth.

UCR

Anacardiaceae – Cashew or Sumac Family

Rhus aromatica Aiton [*R. trilobata* Torr. & A. Gray]

IRVC

Apiaceae – Carrot Family

Lomatium mohavense (J. Coulter & Rose) J. Coulter & Rose IRVC

Asteraceae – Sunflower Family

Ambrosia acanthicarpa Hook. UCR
Ambrosia psilostachya DC. IRVC
Ambrosia salsola (Torr. & A. Gray) Strother & B.G. Baldwin
 var. *salsola* [*Hymenoclea* s. A. Gray var. s.] IRVC
Aniscoma acaulis Torr. & A. Gray IRVC
Artemisia dracuncululus L. IRVC
Baccharis sergiloides A. Gray IRVC
Bahiopsis parishii (Greene) E.E. Schill. & Panero
 [*Viguiera parishii* Greene] IRVC
Baileya pleniradiata A. Gray IRVC
Bebbia juncea (Benth.) Greene var. *aspera* Greene IRVC
Brickellia atractyloides A. Gray.
 var. *arguta* (B.L. Rob.) Jepson IRVC
Brickellia desertorum Coville IRVC
Calycoseris parryi A. Gray IRVC
Chaenactis fremontii A. Gray IRVC
Chaenactis stevioides Hook. & Arn. IRVC
Chaetopappa ericoides (Torr.) G. Nesom IRVC
Encelia actonii Elmer UCR
Encelia farinosa Torr. IRVC
Encelia frutescens (A. Gray) A. Gray IRVC
Ericameria cuneata (A. Gray) McClatchie
 var. *spathulata* (A. Gray) H. M. Hall
 [*Haplopappus* c.] IRVC
Ericameria laricifolia (A. Gray) Shinn. IRVC
Ericameria linearifolia Urb. & J. Wussow [*Haplopappus* l.] IRVC
Ericameria teretifolia (Dur. & Hilg.) Jeps.
 [*Chrysothamnus teretifolius* (Dur. & Hilg.) Hall] UCR
Erigeron canadensis L.
 [*Conyza canadensis* (L.) Cronquist] IRVC
Erigeron breweri A. Gray var. *covillei* (Greene) G. Nesom IRVC
!Erigeron parishii A. Gray UCR
Eriophyllum confertiflorum (A. Gray) A. Gray
 var. *confertiflorum* IRVC
Eriophyllum wallacei (A. Gray) A. Gray IRVC
Gnaphalium palustre Nutt. IRVC
Gutierrezia microcephala (DC.) A. Gray UCR
Helianthus annuus L. UCR
Lasthenia gracilis (DC.) Greene [*L. californica* Lindley;
L. chrysostoma (Fischer & C. Meyer) Greene] IRVC
Layia glandulosa (Hook.) Hook. & Arn. IRVC
Lepidospartum squamatum (A. Gray) A. Gray IRVC
Leptosyne bigelovii (A. Gray) A. Gray
 [*Coreopsis bigelovii* (A. Gray) Voss] IRVC
Logfia depressa (A. Gray) Holub
 [*Filago depressa* A. Gray] UCR
Logfia filaginoides (Hook. & Arn.) Morefield
 [*Filago californica* Nutt.] IRVC
Malacothrix glabrata (D. Eaton) A. Gray IRVC
Monoptilon bellidiforme Torr. & A. Gray IRVC
Nicolletia occidentalis A. Gray UCR
Pectis papposa Harv. & A. Gray var. *papposa* UCR

| | |
|--|------|
| <i>Porophyllum gracile</i> Benth. | IRVC |
| <i>Rafinesquia californica</i> Nutt. | IRVC |
| <i>Senecio flaccidus</i> Less. | |
| var. <i>douglasii</i> (DC.) B. L. Turner & T. Barkley | IRVC |
| <i>Senecio flaccidus</i> Less. | |
| var. <i>monoensis</i> (Greene) B. Turner & T. Barkley | IRVC |
| <i>Stephanomeria exigua</i> Nutt. ssp. <i>exigua</i> | UCR |
| <i>Stephanomeria pauciflora</i> (Torr.) Nelson | IRVC |
| <i>Stylocline psilocarphoides</i> M. Peck | UCR |
| <i>Syntrichopappus fremontii</i> A. Gray | UCR |
| <i>Uropappus lindleyi</i> (DC.) Nutt. [<i>Microseris l.</i>] | IRVC |

Bignoniaceae – Trumpet-Creeper Family

| | |
|---|------|
| <i>Chilopsis linearis</i> (Cav.) Sweet | |
| ssp. <i>arcuata</i> (Fosb.) Hendrickson | IRVC |

Boraginaceae [incl. Hydrophyllaceae] – Borage Family

| | |
|--|------|
| <i>Amsinckia tessellata</i> A. Gray | IRVC |
| <i>Cryptantha barbiger</i> (A. Gray) Greene | IRVC |
| <i>Cryptantha circumscissa</i> (Hook. & Arn.) I. M. Johnston | |
| var. <i>circumscissa</i> | IRVC |
| <i>Cryptantha decipiens</i> (M. E. Jones) A. A. Heller | IRVC |
| <i>Cryptantha intermedia</i> (A. Gray) Greene | IRVC |
| <i>Cryptantha micrantha</i> (Torr.) I. M. Johnston var. <i>micrantha</i> | IRVC |
| <i>Cryptantha pterocarya</i> (Torr.) Greene var. <i>pterocarya</i> | IRVC |
| <i>Cryptantha utahensis</i> (A. Gray) Greene | IRVC |
| <i>Emmenanthe penduliflora</i> Benth. var. <i>penduliflora</i> | IRVC |
| <i>Eucrypta chrysanthemifolia</i> (Benth.) Greene | |
| var. <i>bipinnatifida</i> (Torr.) Constance | IRVC |
| <i>Nama demissum</i> A. Gray var. <i>demissum</i> | IRVC |
| <i>Nama hispidum</i> A. Gray var. <i>spathulatum</i> (Torr.) C. Hitchc. | IRVC |
| <i>Nemophila meziesii</i> Hook. & Arn. ssp. <i>intergifolia</i> Parish | IRVC |
| <i>Pectocarya heterocarpa</i> (I. M. Johnston) I. M. Johnston | IRVC |
| <i>Pectocarya linearis</i> (Ruíz Lopez & Pavón) DC. | |
| ssp. <i>ferocula</i> (I. M. Johnston) Thorne | IRVC |
| <i>Pectocarya penicillata</i> I. M. Johnston | IRVC |
| <i>Pectocarya platycarpa</i> | |
| (Munz & I. M. Johnston) Munz & I. M. Johnston | IRVC |
| <i>Pectocarya setosa</i> A. Gray | IRVC |
| <i>Phacelia campanularia</i> A. Gray | UCR |
| <i>Phacelia cryptantha</i> Greene | IRVC |
| <i>Phacelia curvipes</i> S. Watson | IRVC |
| <i>Phacelia distans</i> Benth. | IRVC |
| <i>Phacelia minor</i> (Harv.) Thell. | UCR |
| <i>Phacelia ramosissima</i> Lehm. | |
| [<i>P. r.</i> var. <i>latifolia</i> (Torr.) Cronq.] | IRVC |

Brassicaceae – Mustard Family

| | |
|--|------|
| ! <i>Boechera dispar</i> (M.E. Jones) Al-Shehbaz | |
| [<i>Arabis d.</i> M. E. Jones] | IRVC |
| <i>Boechera pulchra</i> (S. Watson) W.A. Weber | IRVC |
| <i>Caulanthus cooperi</i> (S. Watson) Payson | IRVC |
| <i>Caulanthus lasiophyllus</i> (Hook. & Arn.) Payson | |
| [<i>Guillenia l.</i> , <i>Thelypodium l.</i>] | IRVC |
| <i>Descurainia pinnata</i> (Walter) Britton | |
| ssp. <i>glabra</i> (Wooton & Standley) Detl. | IRVC |

| | |
|--|------|
| * <i>Descurainia sophia</i> (L.) Prantl | IRVC |
| * <i>Hirschfeldia incana</i> (L.) Lagr.-Fossat] | |
| [<i>Brassica geniculata</i> (Desf.) J. Ball] | IRVC |
| <i>Lepidium fremontii</i> S. Watson | IRVC |
| <i>Lepidium lasiocarpum</i> Torr. & A. Gray var. <i>lasiocarpum</i> | UCR |
| * <i>Sisymbrium irio</i> L. | IRVC |
| <i>Thysanocarpus curvipes</i> Hook. | IRVC |
| <i>Thysanocarpus laciniatus</i> Torr. & A. Gray | |
| var. <i>crenatus</i> (Nutt.) Brew | IRVC |
| <i>Thysanocarpus laciniatus</i> Torr. & A. Gray var. <i>laciniatus</i> | IRVC |

Cactaceae – Cactus Family

| | |
|--|------|
| <i>Cylindropuntia echinocarpa</i> (Engelm. & J. Bigelow) F. M. Knuth | |
| [<i>Opuntia e.</i> , <i>O. e.</i> var. <i>e.</i>] | IRVC |
| <i>Echinocerus engelmannii</i> (Engelm.) Lemaire | |
| var. <i>engelmannii</i> | IRVC |
| <i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i> | IRVC |
| <i>Opuntia polyacantha</i> Haw. | |
| var. <i>erinacea</i> (Engelm. & J.M. Bigelow) B.D. Parfitt | |
| [<i>O. erinacea</i>] | IRVC |

Campanulaceae – Bellflower Family

| | |
|---------------------------------------|------|
| <i>Nemacladus sigmoideus</i> G. Robb. | IRVC |
|---------------------------------------|------|

Caryophyllaceae – Pink Family

| | |
|--|------|
| <i>Minuartia douglasii</i> (Torr. & A. Gray) Mattf. [<i>Arenaria d.</i>] | IRVC |
|--|------|

Chenopodiaceae – Goosefoot Family

| | |
|---|------|
| <i>Atriplex canescens</i> (Pursh) Nutt. ssp. <i>canescens</i> | IRVC |
| <i>Chenopodium berlandieri</i> Moq. | IRVC |
| <i>Chenopodium californicum</i> (S. Watson) S. Watson | UCR |
| <i>Grayia spinosa</i> (Hook.) Moq. | IRVC |
| * <i>Salsola tragus</i> L. | IRVC |

Cleomaceae – Spiderflower Family

| | |
|--|------|
| <i>Peritoma arborea</i> (Nutt.) H.H. Iltis var. <i>arborea</i> | |
| [<i>Isomeris a.</i> var. <i>a.</i>] | IRVC |

Convolvulaceae [incl. Cuscutaceae] – Morning-Glory Family

| | |
|---|------|
| <i>Cuscuta californica</i> Hook. & Arn. | IRVC |
|---|------|

Crassulaceae – Stonecrop Family

| | |
|--|------|
| <i>Crassula connata</i> (Ruíz Lopez & Pavón) A. Berger | IRVC |
| <i>Dudleya saxosa</i> (M. E. Jones) Britton & Rose | |
| ssp. <i>aloides</i> (Rose) Moran | IRVC |

Crossosomataceae – Crossosoma Family

| | |
|---------------------------------------|------|
| <i>Crossosoma bigelovii</i> S. Watson | IRVC |
|---------------------------------------|------|

Cucurbitaceae – Gourd Family

| | |
|--|------|
| <i>Cucurbita palmata</i> S. Watson | IRVC |
| <i>Marah macrocarpus</i> (Greene) Greene | IRVC |

Ericaceae – Heath Family

| | |
|--------------------------------------|------|
| <i>Arctostaphylos glauca</i> Lindley | IRVC |
|--------------------------------------|------|

Euphorbiaceae – Spurge Family

| | |
|--|------|
| <i>Chamaesyce albomarginata</i> (Torr. & A. Gray) Small [<i>Euphorbia a.</i>] | UCR |
| <i>Chamaesyce micromera</i> (Boiss.) Wooton & Standl. [<i>Euphorbia m.</i>] | UCR |
| <i>Chamaesyce polycarpa</i> (Benth.) Millsp. [<i>Euphorbia p.</i>] | IRVC |
| <i>Chamaesyce setiloba</i> (Torr.) Millsp. [<i>Euphorbia s.</i>] | IRVC |
| <i>Croton californicus</i> Muell. Arg. | IRVC |
| <i>Stillingia linearifolia</i> S. Watson | IRVC |

Fabaceae – Legume Family

| | |
|---|------|
| <i>Senegalia greggii</i> (A. Gray) Britton & Rose [<i>Acacia g.</i> A. Gray] | IRVC |
| <i>Acmispon argophyllus</i> (A. Gray) Greene var. <i>argophyllus</i> [<i>Lotus a.</i> var. <i>a.</i>] | IRVC |
| <i>Acmispon glaber</i> var. <i>brevialatus</i> (Ottley) Brouillet <i>Lotus s.</i> (Nutt.) Ottley ssp. <i>b.</i> | IRVC |
| <i>Acmispon heermannii</i> (Durand & Hilg.) Brouillet var. <i>heermannii</i> [<i>Lotus h.</i> var. <i>h.</i>] | IRVC |
| <i>Acmispon rigidus</i> (Benth.) Brouillet [<i>Lotus r.</i>] | IRVC |
| <i>Acmispon strigosus</i> (Nutt.) Brouillet [<i>Lotus s.</i>] [<i>L. s.</i> var. <i>tomentellus</i> (Greene) Isely] | IRVC |
| <i>Astragalus lentiginosus</i> Douglas | IRVC |
| <i>Lupinus arizonicus</i> (S. Watson) S. Watson | IRVC |
| <i>Lupinus concinnus</i> J. Agardh [<i>L. c.</i> ssp. <i>orcuttii</i> (S. Watson) D. Dunn.] | UCR |
| <i>Lupinus excubitus</i> M. E. Jones var. <i>excubitus</i> | IRVC |
| <i>Lupinus sparsiflorus</i> Benth. [<i>L. s.</i> ssp. <i>mohavensis</i> Dziekanowski & D. B. Dunn] | IRVC |
| <i>Prosopis glandulosa</i> Torr. var. <i>torreyana</i> (L. D. Benson) M. C. Johnst. | IRVC |
| <i>Psoralea arborescens</i> (A. Gray) Barneby var. <i>minutifolius</i> (Parish) Barneby | IRVC |
| <i>Psoralea arborescens</i> (A. Gray) Barneby var. <i>simplicifolius</i> (Parish) Barneby [<i>Dalea californica</i>] | UCR |

Fagaceae – Oak Family

| | |
|---|------|
| <i>Quercus cornelius-mulleri</i> K. Nixon & K. Steele | IRVC |
|---|------|

Gentianaceae – Gentian Family

| | |
|--|------|
| <i>Zeltnera exaltata</i> (Griseb.) G. Mans [<i>Centaurium exaltatum</i> (Griseb.) Piper] | IRVC |
|--|------|

Geraniaceae – Geranium Family

| | |
|--|------|
| * <i>Erodium cicutarium</i> (L.) Aiton | IRVC |
|--|------|

Krameriaceae – Rhatany Family

| | |
|--|------|
| <i>Krameria erecta</i> Schultes [<i>K. parvifolia</i> Benth.] | IRVC |
|--|------|

Lamiaceae – Mint Family

| | |
|--|------|
| <i>Monardella linoides</i> A. Gray ssp. <i>erecta</i> (Abrams) Elvin & A.C. Sanders [<i>M. l.</i> ssp. <i>stricta</i> (Parish) Epling] | IRVC |
| ! <i>Monardella robisonii</i> Munz | IRVC |
| <i>Salvia columbariae</i> Benth. | IRVC |

| | |
|--|------|
| <i>Salvia dorrii</i> (Kellogg) Abrams | |
| <i>ssp. pilosa</i> (A. Gray) Stra. & Rev. | IRVC |
| <i>Salvia mohavensis</i> Greene | IRVC |
| <i>Scutellaria mexicana</i> (Torr.) A.J. Paton | |
| [<i>Salazaria m.</i>] | UCR |

Loasaceae – Loasa Family

| | |
|--|------|
| <i>Mentzelia affinis</i> Greene | IRVC |
| <i>Mentzelia albicaulis</i> (Hook.) Torr. & A. Gray | UCR |
| <i>Mentzelia jonesii</i> (Urb. & Gilg) H. J. Thomps. & J. E. Roberts | UCR |
| <i>Mentzelia veatchiana</i> Kellogg | IRVC |
| <i>Petalonyx thurberi</i> A. Gray <i>ssp. thurberi</i> | IRVC |

Malvaceae – Mallow Family

| | |
|---|------|
| <i>Sphaeralcea ambigua</i> A. Gray var. <i>ambigua</i> | IRVC |
| <i>Sphaeralcea ambigua</i> A. Gray var. <i>rugosa</i> (Kearney) Kearney | IRVC |

Molluginaceae – Carpet-Weed Family

| | |
|-----------------------------------|-----|
| <i>Mollugo cerviana</i> (L.) Ser. | UCR |
|-----------------------------------|-----|

Montiaceae [Portulacaceae – in part] Montia Family

| | |
|------------------------------------|------|
| <i>Calyptidium monardrum</i> Nutt. | IRVC |
| <i>Claytonia parvifolia</i> Hook. | IRVC |

Nyctaginaceae – Four O’Clock Family

| | |
|---|------|
| <i>Allionia incarnata</i> L. | IRVC |
| <i>Mirabilis laevis</i> (Benth.) Curran var. <i>retrorsa</i> (Heller) Jepson | IRVC |
| <i>Mirabilis laevis</i> (Benth.) Curran var. <i>villosa</i> (Kell.) Spellenb. | IRVC |

Onagraceae – Evening Primrose Family

| | |
|--|------|
| <i>Eulobus californicus</i> Torr. & A. Gray | |
| [<i>Camissonia c.</i> (Torr. & A. Gray) Raven] | IRVC |
| <i>Camissonia campestris</i> (Greene) Raven <i>ssp. campestris</i> | IRVC |
| <i>Camissonia kernensis</i> (Munz) Raven | |
| <i>ssp. gilmanii</i> (Munz) Raven | IRVC |
| <i>Camissonia kernensis</i> (Munz) Raven <i>ssp. kernensis</i> | IRVC |
| <i>Camissoniopsis pallida</i> <i>ssp. hallii</i> (Davidson) W.L. Wagner & Hoch | |
| [<i>Camissonia p. ssp. h.</i>] | IRVC |
| <i>Chylismia claviformis</i> (Torr. & Fremont) A.A. Heller | |
| <i>ssp. aurantiaca</i> (Munz) W.L. Wagner & Hoch | |
| [<i>Camissonia c. ssp. a.</i>] | IRVC |
| <i>Chylismia claviformis</i> (Torr. & Fremont) A.A. Heller | |
| <i>ssp. claviformis</i> (Torr. & Fremont) Raven | |
| [<i>Camissonia c. ssp. c.</i>] | IRVC |
| <i>Oenothera californica</i> (S. Watson) S. Watson | UCR |
| <i>Oenothera californica</i> (S. Watson) S. Watson | |
| <i>ssp. avita</i> Klein [<i>O. a.</i> (Klein) Klein] | IRVC |
| <i>Tetrapteron palmeri</i> (S. Watson) W.L. Wagner & Hoch | |
| [<i>Camissonia p.</i> (S. Watson) Raven] | IRVC |

Orobanchaceae [Scrophulariaceae – in part] – Broom-Rape Family

| | |
|--|------|
| <i>Castilleja foliolosa</i> Hook. & Arn. | IRVC |
| <i>Cordylanthus rigidus</i> (Benth.) Jeps. | |

| | |
|---|------|
| <i>ssp. setigerus</i> Chuang & Heckard. | IRVC |
| <i>Orobanche fasciculata</i> Nutt. | IRVC |

Papaveraceae – Poppy Family

| | |
|---|------|
| <i>Argemone munita</i> Durand & Hilg. | IRVC |
| <i>Eschscholzia minutiflora</i> S. Watson | UCR |
| <i>Eschscholzia parishii</i> Greene | UCR |
| <i>Platystemon californicus</i> Benth. | IRVC |

Phrymaceae [Scrophulariaceae - in part] – Monkey-Flower Family

| | |
|--|------|
| <i>Mimulus androsaceus</i> Curran ex Greene | IRVC |
| <i>Mimulus aurantiacus</i> Curtis | |
| var. <i>pubescens</i> (Torr.) D.M. Thompson | |
| [<i>M. longiflorus</i> (Nutt.) A. L. Grant] | IRVC |
| <i>Mimulus bigelovii</i> (A. Gray) A. Gray var. <i>bigelovii</i> | IRVC |
| <i>Mimulus fremontii</i> (Benth.) A. Gray var. <i>fremontii</i> | IRVC |
| <i>Mimulus guttatus</i> DC. | IRVC |
| <i>Mimulus parishii</i> Greene | IRVC |
| <i>Mimulus pilosus</i> (Benth.) S. Watson | IRVC |
| <i>Mimulus rubellus</i> A. Gray | UCR |

Plantaginaceae [Scrophulariaceae - in part] – Plantain Family

| | |
|--|------|
| <i>Keckiella antirrhinoides</i> (Benth.) Straw | |
| var. <i>microphylla</i> (A. Gray) N. Holmgren | IRVC |
| <i>Penstemon incertus</i> Brandegee | IRVC |

Polemoniaceae – Phlox Family

| | |
|--|------|
| <i>Eriastrum densifolium</i> (Benth.) H. Mason | |
| ssp. <i>mohavense</i> (Craig) H. Mason | IRVC |
| <i>Eriastrum eremicum</i> (Jepson) H. Mason | IRVC |
| <i>Gilia australis</i> (H. Mason & A. D. Grant) V. Grant & A. D. Grant | IRVC |
| <i>Gilia brecciarum</i> Jones | UCR |
| <i>Gilia cana</i> (M. E. Jones) A. A. Heller | UCR |
| <i>Gilia latiflora</i> S. Watson | |
| ssp. <i>davyi</i> (Milliken) A. D. Grant & V. Grant | UCR |
| <i>Gilia ophthalmoides</i> Brand | IRVC |
| <i>Gilia scopulorum</i> M. E. Jones | UCR |
| <i>Gilia sinuata</i> Benth. | IRVC |
| <i>Gilia stellata</i> A. A. Heller | IRVC |
| <i>Leptosiphon aureus</i> (Nutt.) Greene ssp. <i>aureus</i> | |
| [<i>Linanthus a.</i>] | IRVC |
| <i>Linanthus bigelovii</i> (A. Gray) Greene | IRVC |
| <i>Linanthus dichotomus</i> Benth. ssp. <i>dichotomus</i> | IRVC |
| ! <i>Linanthus orcuttii</i> (Parry & A. Gray) Jeps. | UCR |
| <i>Loeseliastrum matthewsii</i> (A. Gray) S. Timbrook | IRVC |

Polygonaceae – Buckwheat Family

| | |
|--|------|
| <i>Centrostegia thurberi</i> Benth. | IRVC |
| <i>Chorizanthe brevicornu</i> Torr. var. <i>brevicornu</i> | IRVC |
| <i>Chorizanthe watsonii</i> Torr. & A. Gray | IRVC |
| <i>Eriogonum brachyanthum</i> Coville | IRVC |
| <i>Eriogonum davidsonii</i> Greene | IRVC |
| <i>Eriogonum elongatum</i> Benth. var. <i>elongatum</i> | IRVC |
| <i>Eriogonum fasciculatum</i> (Benth.) Torr. & A. Gray | |
| var. <i>polifolium</i> (Benth.) Torr. & A. Gray | IRVC |
| <i>Eriogonum gracilimum</i> S. Watson | UCR |

| | |
|--|------|
| <i>Eriogonum inflatum</i> Torr. & Frémont | IRVC |
| <i>Eriogonum maculatum</i> A. A. Heller | UCR |
| <i>Eriogonum plumatella</i> Dur. & Hilg. | UCR |
| <i>Eriogonum pusillum</i> Torr. & A. Gray | IRVC |
| <i>Eriogonum saxatile</i> S. Watson | IRVC |
| <i>Eriogonum viridescens</i> A. A. Heller | IRVC |
| <i>Pterostegia drymarioides</i> Fisch. & C. A. Mey. | IRVC |
| <i>Rumex hymenosepalus</i> Torr. | IRVC |
| <i>Sidothea trilobata</i> (A. Gray) Reveal [<i>Oxytheca t.</i>] | UCR |

Ranunculaceae – Buttercup Family

| | |
|---|------|
| <i>Delphinium parishii</i> A. Gray ssp. <i>parishii</i> | IRVC |
|---|------|

Rhamnaceae – Buckthorn Family

| | |
|-----------------------------------|------|
| <i>Rhamnus ilicifolia</i> Kellogg | IRVC |
|-----------------------------------|------|

Rosaceae – Rose Family

| | |
|--|------|
| <i>Cercocarpus betuloides</i> Torr. & A. Gray var. <i>betuloides</i> | IRVC |
| <i>Coleogyne ramosissima</i> Torr. | IRVC |
| <i>Prunus fasciculata</i> (Torr.) A. Gray var. <i>fasciculata</i> | IRVC |
| <i>Prunus ilicifolia</i> (Nutt.) Walp. subsp. <i>ilicifolia</i> | IRVC |
| <i>Purshia tridentata</i> (Pursh) DC. var. <i>glandulosa</i> (Curran) M. E. Jones | IRVC |

Rubiaceae – Madder Family

| | |
|--|------|
| ! <i>Galium angustifolium</i> Nutt. ssp. <i>gracillimum</i> Dempster & Stebb. | IRVC |
|--|------|

Salicaceae – Willow Family

| | |
|-----------------------------|-----|
| <i>Salix laevigata</i> Bebb | UCR |
|-----------------------------|-----|

Simmondsiaceae – Jojoba Family

| | |
|--|------|
| <i>Simmondsia chinensis</i> (Link.) C. Schneider | IRVC |
|--|------|

Solanaceae – Nightshade Family

| | |
|---|------|
| <i>Datura wrightii</i> Regel | IRVC |
| <i>Lycium andersonii</i> A. Gray | IRVC |
| <i>Lycium cooperi</i> A. Gray | IRVC |
| * <i>Lycopersicon esculentum</i> L. | IRVC |
| <i>Nicotiana obtusifolia</i> Martens & Galeotti [<i>N. trigonophylla</i> Dunal] | IRVC |
| <i>Physalis crassifolia</i> Benth. | UCR |

Viscaceae – Mistletoe Family

| | |
|---|------|
| <i>Phoradendron bolleanum</i> (Seem.) Eichler [<i>P. densum</i> Trel.] | UCR |
| <i>Phoradendron californicum</i> Nutt. | IRVC |
| <i>Phoradendron serotinum</i> ssp. <i>tomentosum</i> (DC.) Kuijt [<i>P. villosum</i> (Nutt.) Nutt.] | IRVC |

Zygophyllaceae – Caltrop Family

| | |
|--|------|
| <i>Larrea tridentata</i> (DC.) Coville | IRVC |
| * <i>Tribulus terrestris</i> L. | IRVC |

MONOCOTYLDONES (MONOCOTS)

Agavaceae – Agave Family

| | |
|---------------------------------------|------|
| <i>Yucca brevifolia</i> Engelm. | IRVC |
| <i>Yucca schidigera</i> K. E. Ortgies | IRVC |

Alliaceae – Onion Family

| | |
|---|------|
| <i>Allium fimbriatum</i> S. Watson var. <i>fimbriatum</i> | IRVC |
|---|------|

Juncaceae – Rush Family

| | |
|--------------------------------|------|
| <i>Juncus balticus</i> Willd. | IRVC |
| <i>Juncus bufonius</i> L. | IRVC |
| <i>Juncus mexicanus</i> Willd. | UCR |

Liliaceae – Lily Family

| | |
|---|------|
| <i>Calochortus kennedyi</i> Porter var. <i>kennedyi</i> | IRVC |
|---|------|

Poaceae – Grass Family

| | |
|---|------|
| <i>Aristida purpurea</i> Nutt. | |
| var. <i>parishii</i> (A. S. Hitchc.) Allred | IRVC |
| <i>Bouteloua aristidoides</i> (Kunth) Griseb. | |
| var. <i>aristidoides</i> | UCR |
| <i>Bouteloua barbata</i> Lagasca var. <i>barbata</i> | UCR |
| <i>Bromus berteroi</i> Colla [<i>B. trinii</i> Desv. var. <i>trinii</i>] | IRVC |
| * <i>Bromus diandrus</i> Roth. | IRVC |
| * <i>Bromus madritensis</i> L. ssp. <i>rubens</i> (L.) Husnot | IRVC |
| * <i>Bromus sterilis</i> L. | IRVC |
| * <i>Bromus tectorum</i> L. | IRVC |
| <i>Festuca microstachys</i> Nutt. [<i>Vulpia m.</i> (Nutt.) Munro var. <i>pauciflora</i> (Beal) Lonard & Gould] | IRVC |
| <i>Hilaria rigida</i> (Thurb.) Scribn. [<i>Pleuraphis r.</i>] | UCR |
| * <i>Hordeum murinum</i> L. | IRVC |
| <i>Melica frutescens</i> Scribn. | IRVC |
| <i>Melica imperfecta</i> Trin. | IRVC |
| * <i>Panicum miliaceum</i> L. ssp. <i>miliaceum</i> | UCR |
| <i>Poa secunda</i> J. S. Presl. ssp. <i>secunda</i> [<i>P. scabrella</i>] | UCR |
| * <i>Polypogon monspeliensis</i> (L.) Desf. | IRVC |
| * <i>Schismus barbatus</i> (L.) Thell | IRVC |
| <i>Stipa hymenoides</i> Roem. & Schult. [<i>Achnatherum h.</i> , <i>Oryzopsis h.</i>] | IRVC |
| <i>Stipa speciosa</i> Trin. & Rupr. [<i>Achnatherum s.</i>] | IRVC |
| * <i>Sorghum bicolor</i> (L.) Moench | IRVC |
| * <i>Triticum aestivum</i> L. | IRVC |

Ruscaceae [Nolinaceae] – Nolina Family

| | |
|--------------------------------|------|
| <i>Nolina parryi</i> S. Watson | IRVC |
|--------------------------------|------|

Themidaceae – Blue Dicks Family

| | |
|---|------|
| <i>Dichelostemma capitatum</i> (Benth.) A. W. Wood [<i>D. pulchella</i> (Salisb.) A. A. Heller; <i>Brodiaea p.</i>] | IRVC |
|---|------|